Student Substance Use and Mental Health Trends: 2011-2017 Sagadahoc County

Midcoast Community Alliance March 2018



Muskie School of Public Service University of Southern Maine



The Data Innovation Project



www.DataInnovationProject.org



Today's Goals

Examine substance use and mental health trends over time

2. Explore patterns of concern

Discuss implications and next steps



Data Source

MIYHS
Maine
Integrated
Youth
Health
Survey

- 5th and 6th graders
- Middle and High School Students (grades 7 through 12)
- Administered every 2 years since 2009




Substance Use Trends: 2011 to 2017



Past Month Use

- Middle School
- High School









Trends Over Time: Past Month








Trends Over Time: Past Month






Lifetime Use (Ever)




Trends Over Time: Lifetime

Middle School







Trends Over Time: Lifetime



Middle School Compared to Maine (2017)




High School Compared to Maine (2017)



Mental Health and Bullying Trends: 2011 to 2017




Mental Health and Bullying







Trends Over Time: Middle School




Trends Over Time: High School








Compared to Maine (2017)



Matter to Community

■ 2011 **■** 2013 **■** 2015 **■** 2017







Patterns of Concern in 2017 (High School)



Mental Health, Bullying and Gender




Mental Health, Bullying and LGBT






Bullying and Mental Health




 Students who reported bullying (20%) were more likely to be depressed or consider suicide.



Students With Self-reported Mental Health Needs (30%)




Students Who Identify as Lesbian, Gay, Bisexual or Transgender (15%)





Students Who Reported Bullying (23%)



Conclusion



The Takeaway

Alcohol and cigarette use is decreasing.

Marijuana use has not declined.

One-third of students report depression.

 Depression is linked to substance use.

• Focus: female, LGBT, bullying

Getting help from an adult when depressed has increased.

Less likely for males



Reflection

How do these findings **support** or **conflict** with what you have observed?

What **resonates** with you?

What **can you do right now** to address a concern?

What **resources** do you have? How can the community and **ACCESS Health** help?





Visit us online at www. DataInnovationProject.org

Sarah Krichels Goan sarah.goan@maine.edu

Robyn Dumont robyn.dumount@maine.edu

